



IPv6 network management

IPv6 workshop – WALC 2006

Simon.Muyal@renater.fr



Contributions

- Simon Muyal, RENATER
- Bernard Tuy, RENATER
- Jérôme Durand, RENATER
- Ralf Wolter, Cisco
- Patrick Grossetête, Cisco
- Munechika Sumikawa, Hitachi
- Patrick Paul, 6WIND



Agenda

- Introduction
- Retrieving information from routers
 - TELNET/SSH/TFTP/FTP...
 - SNMP/MIBs and IPv6
 - Netflow
- Management platforms
- Management tools
 - 6NET work
 - Recommendations (LAN, WAN...)
 - Examples
- Conclusion & Demo



Introduction

- IPv6 networks deployed:
 - Most are dual stack
 - LANs (campuses, companies, ...)
 - MANs
 - WANs - ISPs (Géant, NRENs, IJ, NTT/Verio, Abilene, ...)
 - IX's
- Testbed, pilot networks, production networks
 - Management tools/procedures are needed
- What applications are available for managing these networks ?
 - Equipment, configurations, ...
 - **IP services** (servers : DNS, FTP, HTTP, ...)



Introduction

- Different types of networks
 - Dual stack IPv6 & IPv4 networks
 - IPv6 only networks (few of them)
- Important to keep in mind
 - Dual stack is not for ever
 - One IP stack should be removed... one day
 - No reasons for network admins to face twice the amount of work



Dual Stack IP networks

- Part of the monitoring via IPv4
 - Connectivity to the equipment
 - Tools to manage it (inventory, configurations, «counters», routing info, ...)
- Remaining Part needs IPv6
 - MIBs IPv6 support
 - NetFlow (v9)



IPv6 only networks

- Topology discovery (LAN, WAN ?)
- IPv6 SNMP agent
- SNMP over IPv6 transport

=> Need to identify the missing parts





SSH/TELNET/TFTP...

Basic requirements to manage a
network



SSH/TELNET/TFTP...

- All routers support IPv6 connections (SSH, TELNET)
 - Periodic scripts can retrieve information from the routers over IPv6
- TFTP/IPv6 as well supported on every equipment
 - Images can be downloaded over IPv6
- FTP/IPv6 not supported on CISCO routers






SNMP/MIBs and IPv6

- SNMP and IPv6
- IPv6 MIBs status
- Manufacturers implementations



SNMP model



SNMP over IPv6

- Cisco:
 - SNMP over IPv6 is available in 12.0(27)S and 12.3(14)T
 - IOS 12.4 & 12.4T too
 - More features available from 12.0(30)S
- Juniper, Hitachi, 6wind:
 - SNMP over IPv6 is available





IPv6 MIBs Status




IPv6 MIBs /2

- Standardization status at IETF:
 - At the beginning:
 - IPv4 and IPv6 MIBs **dissociated**

	IPv4	IPv6	Remarks
Textual Conventions	RFC1902	RFC2465	Definition of IP address format
IP MIB	RFC2011		
ICMP MIB		RFC2466	
TCP MIB	RFC2012	RFC2452	
UDP MIB	RFC2013	RFC2454	




IPv6 MIBs /3



IPv6 MIBs /4

- Standardization status at IETF
 - Today : **unified MIBs** are on standard track.



IETF MIB Status /6

- BGP MIB v6:
 - draft-ietf-idr-bgp4-mibv2-05.txt (07/2005)
 - Expired

Note that the same people are working on

- draft-ietf-idr-bgp4-mib-15.txt (08/2004)
 - → RFC 4273
 - *This draft consider only IPv4 addresses:*
 - « *IMPORTS IpAddress* » → 32 bits





IPv6 MIBs implemementions



IPv6 MIBs implementation/1

- Cisco
 - Private Cisco MIBs implement RFC 2011 (IP) & 2096 (Forwarding) updated drafts
 - Work on implementing the new standards
 - No distinction between IPv4 and IPv6 traffic at the interface level from the MIBs (available when new IETF MIB get implemented)
 - Information available from CLI
 - `show interface accounting`
 - ...



Cisco: IPv6 CLI

```
"show interface accounting"
```

- Differentiate IPv4/IPv6 counters at the interface level for all Cisco routers, except for :

- Catalyst **6500** / Cisco **7600** supervisor engine 720:

Counts only for packets that are software switched, not the hardware switched packets.

- GSR:**

- 'show interface counters' correctly counts IPv6 traffic and separates ingress and egress traffic

- **Engine 3:**

- * OUTPUT IPv6 traffic is counted under IPv6 (correct)
- * INPUT IPv6 traffic is counted under IP (will get corrected)



IPv6 MIBs implementation/2

- Juniper
 - MIB based on (old) RFC 2465
 - with different counters for IPv4 and IPv6 traffic
 - Or based on filters to collect IPv6 traffic:
 - Ex: Geant monitoring
- => Expected : unified MIBs implementation



IPv6 MIBs implementation/3

- Hitachi
 - Routers (GR2000/GR4000) and Switches (GS4000) support IPv6 standard MIBs:
 - RFC 2452: TCP/IPv6
 - RFC 2454: UDP/IPv6
 - RFC 2465: IPv6
 - RFC 2466: ICMPv6
 - The unified MIBs are not implemented yet.



IPv6 MIBs implementation/4

- 6WIND
 - MIBs based on RFC 2465 and RFC 2466
 - Checked at our lab.
 - Unified MIBs ?



IPv6 MIBs implementation/5

- Net-SNMP (Carnegie Mellon Univ)
 - <http://net-snmp.sourceforge.net/>
 - IPv6 support from version 5.0
 - RFC 2452: TCP/IPv6
 - RFC 2454: UDP/IPv6
 - RFC 2465: IPv6
 - RFC 2466: ICMPv6
 - RFC 3291: (new) textual convention for representing Internet Addresses






IPv6 flow monitoring




Netflow & IPFIX model




Flow= set of packets belonging to the same application between a Source/Destination couple



NetFlow for IPv6




NetFlow Version 9




NetFlow Version 9

Example for Template Definition



Example for Export Packet



IPv6 flow monitoring /1

- Cisco
 - Available in IOS 12.3(7)T and later version
 - IPv6 packets captured (**needs IPv6 CEF**)
 - Export done with *Netflow v9*
 - Still uses *IPv4 transport*
 - Need to update your own Netflow Collector
 - Cisco NFC v5.0 available
 - Other collectors are available as well
 - » <http://supervision-ipv6.renater.fr/Portail/>
 - » Netflow v9 collector : Renater's collector (**Renetcol**)



IPv6 flow monitoring /2

- Hitachi
 - Support **Sflow** RFC 3176 (<http://www.sflow.org/>)
 - and Netflow is on the roadmap ?
- 6WIND:
 - Not available
- Juniper:
 - **Cflowd** (#Netflow)





Commercial Management platforms



Commercial platforms

Commercial ISPs use to have integrated management platforms (NRENs mainly use GPL or home-made tools)

- **HP-OV** proposes a version with IPv6 features: NNM 7.0 (sept 2003). Need some hack for automatic IPv6 discovery of CISCO routers.
- **Ciscoworks**: IPv6 version for
 - LMS 2.5 : LAN Management solution
 - Includes a set of functionalities (Campus Manager 4.0, Ciscoview 6.1, ...)
 - CNR 6.2 : Cisco Network Registrar (Naming & addressing services)

Application note on IPv6 management
- **Tivoli Netview** doesn't propose any IPv6 features
- **Infovista** : « no IPv6 plan at the moment »



Cisco: LMS Application supports IPv6

LMS: LAN Management Solution version 2.5

- Includes :
 - Campus Manager 4.0
 - Resource Manager Essential
 - CiscoView version 6.1
 - Cisco Network Registrar (CNR 6.2)
 - Device Fault Manager
 - Internet Performance Monitor
 - Common services



« Top ten » ...

- HP Openview
- Ciscoworks 2000 (LMS 2.5)
- IBM Netview
- Infovista, Tivoli
- ...

IPv6 ready

IPv6 not ready





Monitoring tools



6Net and IPv6 monitoring tools

- 6Net WP6 : managing large scale IPv6 networks
 - Tests lots of IPv6 ready tools
 - Many others ported to IPv6
- 30+ monitoring tools for IPv6
 - Tested
 - Implemented
 - Documented
- URL: <http://tools.6net.org/>



LAN - recommendations

- Traffic & service management (web, DNS, SMTP, IMAP...)
 - A single tool: **Argus**, **Nagios** or **Ntop**
- End-to-end performance of the IPv6 network
 - **Iperf** or **Pchar**
- Configuration management
 - **Rancid**
- Analysis of packets on shared links for occasional troubleshooting
 - **Ethereal**, **tcpdump** or **Ntop**
- IPv6 multicast management
 - **Multicast (D)beacon**



WAN - recommendations

- Plotting monitoring data
 - MRTG, Cricket or Nagios
- Equipment and link status:
 - Intermapper or Nagios
- Routing management:
 - ASpath-tree (routing policy check)
 - Home-made scripts (routing fault management)
- For accounting management:
 - Ipflow, CISCO NFC v5.0 or Home-made collectors
- Configuration management:
 - Rancid, Home-made inventory tool
- Looking-glass for customers





Examples



Argus

- Administration of network:
 - PCs, Switches, Routers
 - Availability
 - Traffic on the network
- Administration of services:
 - http, ftp, dns, imap, smtp...
- Evolution: new features can be easily added



Argus - Top:Serveurs-SIPA - Microsoft Internet Explorer

Adresse: <http://supervision-ipv6.renater.fr/private/argus/prog?object=Top:Serveurs-SIPA;func=page>

Top:Serveurs-SIPA User: jdurand

name Serveurs-SIPA
status up

Name	Status
data-ipv6 IPv4	Ping FTP
data-ipv6 IPv6	Ping FTP
sem2 IPv4	Ping HTTP renater.fr
sem2 IPv6	Ping HTTP renater.fr

Status: up since Thu 11 Nov 20:59:44 2004

	start	elapsed time	% up	% down	times down
Today	Mon 22 Nov 00:00:00 2004	10:00:00	100.0	0.00	0
Yesterday	Sun 21 Nov 00:00:00 2004	1d 0:00:00	100.0	0.00	0
2 Days Ago	Sat 20 Nov 00:00:00 2004	1d 0:00:00	100.0	0.00	0
This Month	Mon 1 Nov 00:00:00 2004	21d 9:48:49	98.28	1.72	1
Last Month	Fri 1 Oct 00:00:00 2004	1m 1:00:00	99.97	0.03	1
2 Months Ago	Mon 13 Sep 11:14:37 2004	17d 12:33:52	100.0	0.00	1
This Year	Mon 13 Sep 11:14:37 2004	2m 10d 23:22:41	99.46	0.54	3

Thu 11 Nov 20:59:44 2004 up TRANSITION - data-ipv6_IPv4
 Thu 11 Nov 12:08:57 2004 down TRANSITION - data-ipv6_IPv6
 Wed 13 Oct 17:13:44 2004 up TRANSITION - data-ipv6_IPv4
 Wed 13 Oct 17:02:33 2004 down TRANSITION - data-ipv6_IPv6
 Mon 13 Sep 11:28:39 2004 up TRANSITION - sem2_IPv4

Argus: 3.3

10:48
lundi
22/11/2004

Internet

Quito, July 2006

IPv6DISSemination and Exploitation

Nagios

- <http://www.nagios.org>
- Very complete tool
 - Services monitoring
 - Network monitoring
- Can be complex for a small network
- Evolution: new features can be added with plug-ins
 - BGP monitoring
 - ...



Nagios

Nagios

General

- Home
- Documentation

Monitoring

- Tactical Overview
- Service Detail
- Host Detail
- Status Overview
- Status Summary
- Status Grid
- Status Map
- 3-D Status Map
- Service Problems
- Host Problems
- Network Outages
- Comments
- Downtime
- Process Info
- Performance Info
- Scheduling Queue

Current Network Status
Last Updated: Thu Jan 8 09:33:05 CET 2004
Updated every 90 seconds
Nagios® - www.nagios.org
Logged in as ?

[View Service Status Detail For All Host Groups](#)
[View Status Overview For All Host Groups](#)
[View Status Summary For All Host Groups](#)
[View Status Grid For All Host Groups](#)

Host Status Totals

Up	Down	Unreachable	Pending
1	1	0	0

[All Problems](#) [All Types](#)

1	2
---	---

Service Status Totals

Ok	Warning	Unknown	Critical
1	0	1	3

[All Problems](#) [All Types](#)

4	5
---	---

Host Status Details For All Host Groups

Host	Status	Last Check	Duration	Status Information
data-ipv6	DOWN	08-12-2003 15:26:43	148d 21h 58m 44s	/bin/ping -n -U -c 1 193.49.159.67
sem2	UP	08-12-2003 15:27:43	148d 21h 55m 22s	(Host assumed to be up)

2 Matching Host Entries Displayed




ASpath-Tree

- Display BGP4+ « topology » from
 - BGP4+ routing table
 - Retrieved from connection to routers (RSH/SSH...)
- Generate HTML pages.




A Spath-Tree

Renater The whole IPv6 BGP table



Intermapper



Quito, July 2006

IPv6DISSemination and Exploitation

Looking Glass

- Get information on a router w/o direct connection
- Web Interface
- Final user don't need a login
- Allows the user to detect causes of failures w/o asking the NOC or netadmin



Looking Glass

RENATER Looking Glass

BGP tables

☒ show bgp IPv6

routing_table
routing_table
summary
neighbors

☐ IPv6 traffic
☐ IPv6 interface
☐ IPv6 tunnels
☐ IPv6 neighbors
☐ IPv6 route

BGP with regular expression

☐ show bgp IPv6

regex

regular expression :

Don't use the character "\$"

☐ Ping XXXXX
☐ Traceroute XXXXX
☐ show ip bgp XXXXX
☐ show ip bgp summary
☐ show ip bgp dampening dampened-paths
☐ show ip mroute summary
☐ show ip mroute active
☐ show ip mbgp summary
☐ show ip mbgp XXXXX

☐ IPv4 address

☐ IPv6 address

☐ name address IPv4

☐ name address IPv6

Router:

Toulouse

submit


Reset

Quito, July 2006


IPv6DISSemination and Exploitation

54

Inventory : interfaces & peerings







Inventory: Interfaces




Inventory: BGP Peerings

NR de PROJETS

PROJETS_GSR-NIO	PROJETS_GSR-6NET	PROJETS_7200-MCAST	PROJETS_M5
			

[interfaces](#)

Routeur PROJETS_GSR-NIO	Peering BGP
	peering iBGP
	Established *** Peer-group de tous les routeurs IBGP *** AS 1717 - FR-RENATER-PROJETS
	Established *** Peer-group de tous les routeurs IBGP *** AS 1717 - FR-RENATER-PROJETS
	Established *** Peer-group de tous les routeurs IBGP *** AS 1717 - FR-RENATER-PROJETS
	peering eBGP
	Established *** eBGP NRI-A RENATER3 *** AS 2200 - FR-RENATER
	Established *** eBGP RENATER3 IPv4 *** AS 2200 - FR-RENATER
	Active *** eBGP @IRS++ KWAK durand@renater.fr *** AS 65004 -
	Active *** eBGP @IRS++ PIETRA durand@renater.fr *** AS 65004 -



IPv6 traffic on Cisco routers


- Based on CLI program
 - "show interface accounting"
 - Differentiate IPv4/IPv6 counters at the physical interface level
- One query per hour
 - IPv6 Weather Map of RENATER



IPv6 traffic on Cisco routers

Renater network - IPv6 Weathermap


Wednesday 21st of July 2004 04:20:02 AM



Légende

GE : liaison Ethernet 1 Gbit/s
2,5G : liaison 2,5 Gbit/s
10G : liaison 10 Gbit/s

Liens vers réseaux de collecte et sites:



Quito, July 2006

IPv6DISSemination and Exploitation

Conclusion

- ISPs –and any other organizations– need monitoring tools to launch a new service/protocol into production
- Most of management protocols are on standard track
- Lots of monitoring tools are now ready for IPv6 networks
- But :
 - Q1: are my usual tools (used for IPv4 monitoring) available for IPv6 too ?
 - Q2: what do I need to stress to my favourite vendor to be ready and manage my IPv6 network ?



Retrieve this information ...

- <http://www.renater.fr> > users > training courses
 - > Presentations
- <http://www.renater.fr> > research & innovation > bibliographie
 - > Bibliography, RFCs, ...



